

FIG.1





FIG.2



VERSION : t	
INDEX	ENCRYPTED KEY
0	Enc(K(t)0, K(t)R)
00	Enc(K(t)00, K(t)0)
000	Enc(K000, K(t)00)
001	Enc(K(t)001, K(t)00)
0010	Enc(K0010, K(t)001)

FIG.4A

VERSION: t	
INDEX	ENCRYPTED KEY
000	Enc(K000, K(t)00)
001	Enc(K(t)001, K(t)00)
0010	Enc(K0010, K(t)001)

FIG.4B




FIG.5

6/45




FIG.6

7/45





FIG.7C






FIG.9





FIG.10








FIG.12

13/45




FIG.13

14/45




FIG.14




FIG. 15

16/45




FIG.16

17/45






FIG.17

18/45




⊕ : EXCLUSIVE OR PROCESSING (8BYTE UNIT)


19/45




20/45



21/45



22/45






FIG.23




FIG.24A





FIG.24B

25/45

FIG.25A


FIG.25B

26/45




27/45


Kroot	TAG	DATA (ENCRYPTED KEY)
ž d	{0, 0, 0}	1
	{0, 1, 0}	ı
	{0, 1, 0}	1
	{1, 0, 0}	1
	{0, 1, 0}	1
	{0, 1, 0}	1
	{0, 1, 0}	ı
	{1, 0, 0}	•
	{1, 1, 1}	Enc(Ka, K(t)root)
	{1, 1, 1}	Enc(Kg, K(t)root)
, Kg	{1, 1, 1}	Enc(Kj, K(t)root)
	Enc(K(t)root, K(t)con)	ıt, K(t)con)
FIG 27A		FIG 27B
]



29/45



30/45








FIG.31


32/45




33/45









35/45




36/45



-1G.36



38/45



39/45




FIG.39




FIG.40




FIG.41





FIG.42

43/45






FIG.44

45/45

